

# ULTRA LIFE H1

Longer life and 4 year guarantee



### 4 year OSRAM guarantee

For a worry-free driving pleasure. Refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for precise conditions



### Extra lifetime

Up to four times longer lifetime compared to standard halogen lamps



### More durability

For longer replacement cycles and additional reliability and comfort



### The durable light with up to four times longer lifetime

OSRAM ULTRA LIFE automotive lamps are a favorite when it comes to durability. They have an impressive lifespan up to four times longer compared to standard halogen lamps and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps ([www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)). In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

# Product datasheet

## Technical data

### Product information

Order reference	64150ULT
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	68 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1550 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

### Dimensions & weight



Diameter	9 mm
Product weight	6.30 g
Length	67.5 mm

### Lifespan

Lifespan B3	1200 h
Lifespan Tc	2000 h

### Additional product data

Base (standard designation)	P14.5s
-----------------------------	--------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H1
--------------	----

### Country specific categorizations

Order reference	64150ULT
-----------------	----------


### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	03-07-2024
Primary Article Identifier	4008321416162   4008321416209   4008321416100   4052899412156   4052899412170   4052899987043   4062172257008   4052899425187   4062172388122   4062172395526
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321416162	OSRA64150ULTDUO	-	-	-
4008321416162	OSRA64150ULTDUO	-	-	-
4008321416209	OSRA64150ULT	-	-	-
4008321416216	OSRA64150ULT	-	-	-
4008321416209	OSRA64150ULT	-	-	-

## Product datasheet





### Others graphics

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321416100	ULTRA LIFE H1	Blister 1	135 mm x 95 mm x 24 mm	0.31 dm <sup>3</sup>	29.00 g
4008321416117	ULTRA LIFE H1	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	240.00 g
4008321416162	ULTRA LIFE H1	Hard Cover Box 2	- x - x -		138.00 g
4062172059404	ULTRA LIFE H1	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	154.00 g
4008321416209	ULTRA LIFE H1	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm <sup>3</sup>	9.00 g
4008321416216	ULTRA LIFE H1	Bundle 10	113 mm x 50 mm x 70 mm	0.40 dm <sup>3</sup>	90.00 g
4008321416223	ULTRA LIFE H1	Shipping carton box 100	122 mm x 109 mm x 361 mm	4.80 dm <sup>3</sup>	995.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	Brochures 724901_ULTRA LIFE Leaflet EN
	Product movie 724899_ULTRA LIFE Trailer EN

## Product datasheet



360 Degree Image  
ULTRA LIFE H1 64150ULT

### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM