

ORIGINAL LINE H16

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64219L+ |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 26 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 19.00 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|--------------|
| Luminous flux | 500 lm |
| Luminous flux tolerance | +10 %...15 % |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 10.0 mm |
| Product weight | 18.80 g |
| Length | 67.0 mm |

Lifespan

| | |
|-------------|--------|
| Lifespan B3 | 1115 h |
| Lifespan Tc | 2000 h |

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Product datasheet

Certificates & standards

| | |
|--------------|-----|
| ECE category | H16 |
|--------------|-----|

Country specific categorizations

| | |
|-----------------|---------|
| Order reference | 64219L+ |
|-----------------|---------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 03-07-2024 |
| Primary Article Identifier | 4008321626837 4008321626783 4008321626851 4052899403819 4052899498563 4052899561861 4052899589599 4062172051972 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321626783 | ORIGINAL LINE H16 | Folding carton box 1 | 33 mm x 37 mm x 71 mm | 0.09 dm ³ | 25.00 g |
| 4008321626790 | ORIGINAL LINE H16 | Bundle 10 | 68 mm x 73 mm x 187 mm | 0.93 dm ³ | 248.00 g |
| 4008321626806 | ORIGINAL LINE H16 | Shipping carton box 100 | 341 mm x 154 mm x 191 mm | 10.03 dm ³ | 2671.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM