

ORIGINAL LINE H11

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64211 |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 62 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 55.00 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|---------|
| Luminous flux | 1350 lm |
| Luminous flux tolerance | ±10 % |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 12.0 mm |
| Product weight | 22.56 g |
| Length | 68.4 mm |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 350 h |
| Lifespan Tc | 580 h |

Additional product data

| | |
|-----------------------------|---------|
| Base (standard designation) | PGJ19-2 |
|-----------------------------|---------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|-----|
| ECE category | H11 |
|--------------|-----|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 64211 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 03-07-2024 |
| Primary Article Identifier | 4050300524313 4008321102027 4008321171252 4052899263338 4052899475984 4062172083027 4062172182898 4052899411920 4062172395229 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321171252 | - | - | 4730322 | - |
| 4008321171252 | - | - | 4730322 | - |
| 4050300524313 | OSRA64211 | - | - | - |
| 4050300524320 | OSRA64211 | - | - | - |
| 4050300524313 | OSRA64211 | - | - | - |

Logistical Data


| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321171252 | ORIGINAL LINE H11 | Blister 1 | 135 mm x 95 mm x 40 mm | 0.51 dm ³ | 34.00 g |
| 4008321171269 | ORIGINAL LINE H11 | Shipping carton box 10 | 335 mm x 115 mm x 146 mm | 5.62 dm ³ | 440.00 g |
| 4050300524313 | ORIGINAL LINE H11 | Folding carton box 1 | 33 mm x 37 mm x 71 mm | 0.09 dm ³ | 29.00 g |
| 4050300524320 | ORIGINAL LINE H11 | Bundle 10 | - x - x - | | |

Product datasheet

| | | | | | |
|---------------|-------------------|----------------------------|-----------------------------|-----------------------|-----------|
| 4050300524337 | ORIGINAL LINE H11 | Shipping carton box 100 | 341 mm x 191 mm x 154 mm | 10.03 dm ³ | 3101.00 g |
|---------------|-------------------|----------------------------|-----------------------------|-----------------------|-----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File | |
|---|--|
|  | 360 Degree Image ORIGINAL H11 64211 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM