

# ORIGINAL LINE R2

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	64183
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	57 / 51 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	45/40 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1030/675 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

### Dimensions & weight



Diameter	17.0 mm
Product weight	22.40 g
Length	82.0 mm

### Lifespan

Lifespan B3	250 / 400 h <sup>1)</sup>
Lifespan Tc	500 / 1200 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

## Product datasheet

Base (standard designation)	P45t
-----------------------------	------

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	R2
--------------	----

### Country specific categorizations

Order reference	64183
-----------------	-------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	03-07-2024
Primary Article Identifier	4050300925400   4052899411944   4062172069700   4062172156387   4062172395564
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300925400	OSRA64183BLI1	-	-	-
4050300925400	OSRA64183BLI1	-	-	-

### Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300925400	ORIGINAL LINE R2	Blister 1	135 mm x 95 mm x 50 mm	0.64 dm <sup>3</sup>	52.00 g
4008321142887	ORIGINAL LINE R2	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	620.00 g
4052899411944	ORIGINAL LINE R2	Blister 1	135 mm x 95 mm x 50 mm	0.64 dm <sup>3</sup>	41.00 g
4052899411951	ORIGINAL LINE R2	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	510.00 g
4062172156387	ORIGINAL LINE R2	Folding carton box 1	47 mm x 47 mm x 70 mm	0.15 dm <sup>3</sup>	31.00 g
4062172156394	ORIGINAL LINE R2	Bundle 10	235 mm x 94 mm x 70 mm	1.55 dm <sup>3</sup>	311.00 g

## Product datasheet

4062172156400	ORIGINAL LINE R2	Shipping carton box 100	485 mm x 245 mm x 156 mm	18.54 dm <sup>3</sup>	3557.00 g
---------------	------------------	----------------------------	-----------------------------	-----------------------	-----------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	360 Degree Image ORIGINAL R2 64183

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM