

# ULTRA LIFE PY21W

Up to four times longer lifetime



**Extra lifetime**

Up to four times longer lifetime compared to standard auxiliary lamps



**More durability**

For longer replacement cycles and additional reliability and comfort



**Wide product range**

Fits for most common auxiliary lamp types



**The durable light with up to four times longer lifetime**

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

# Product datasheet

## Technical data

### Product information

Order reference	7507ULT
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Test voltage	13.5 V
Power input tolerance	±6 %

### Photometrical data

Luminous flux	280 lm
Luminous flux tolerance	±20 %

### Dimensions & weight



Diameter	25.0 mm
Product weight	8.06 g
Length	52.5 mm

### Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

### Additional product data

Base (standard designation)	BAU15s
-----------------------------	--------

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	PY21W
Approval marks – approval	E1 approval

### Country specific categorizations

Order reference	7507ULT
-----------------	---------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	03-07-2024
Primary Article Identifier	4008321413147   4008321415165   4062172394871
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321413147	OSRA7507ULT	-	-	-
4008321413154	OSRA7507ULT	-	-	-
4008321413147	OSRA7507ULT	-	-	-

### Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321413147	ULTRA LIFE PY21W	Unpacked 1	- x - x -		
4008321413154	ULTRA LIFE PY21W	Folding carton box 10	- x - x -		
4008321413161	ULTRA LIFE PY21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	553.00 g
4008321415165	ULTRA LIFE PY21W	Blister 2	135 mm x 95 mm x 26 mm	0.33 dm <sup>3</sup>	27.00 g
4008321415172	ULTRA LIFE PY21W	Shipping carton box 20	279 mm x 115 mm x 146 mm	4.68 dm <sup>3</sup>	361.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Download Data

File	
	360 Degree Image ULTRA LIFE PY21W 7507ULT

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM