

ORIGINAL LINE H7

OEM quality for trucks



The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64215 |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 75 W ¹⁾ |
| Nominal voltage | 24.0 V |
| Nominal wattage | 70.00 W |
| Test voltage | 28.0 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|---------|
| Luminous flux | 1750 lm |
| Luminous flux tolerance | ±10 % |

Dimensions & weight



| | |
|----------------|---------|
| Length | 59.0 mm |
| Diameter | 12.0 mm |
| Product weight | 12.50 g |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 220 h |
| Lifespan Tc | 500 h |

Additional product data

| | |
|-----------------------------|-------|
| Base (standard designation) | PX26d |
|-----------------------------|-------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | H7 |
|--------------|----|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 64215 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 03-07-2024 |
| Primary Article Identifier | 4050300493077 4050300459424 4050300386522 4050300925882 4050300629605 4052899011236 4052899411845 4052899589858 4062172014465 4062172130967 4062172390361 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300386522 | OSRA64215 | - | - | - |
| 4050300386539 | OSRA64215 | - | - | - |
| 4050300386522 | OSRA64215 | - | - | - |


Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300386522 | ORIGINAL LINE H7 | Folding carton box 1 | - x - x - | | |
| 4050300386539 | ORIGINAL LINE H7 | Bundle 10 | - x - x - | | |
| 4050300386546 | ORIGINAL LINE H7 | Shipping carton box 100 | 356 mm x 186 mm x 129 mm | 8.54 dm ³ | 1751.00 g |
| 4050300925882 | ORIGINAL LINE H7 | Blister 1 | - x - x - | | |
| 4008321141972 | ORIGINAL LINE H7 | Shipping carton box 10 | 279 mm x 115 mm x 145 mm | 4.65 dm ³ | 435.00 g |

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File | |
|---|---|
|  | 360 Degree Image ORIGINAL TRUCK H7 64215 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM