

# ORIGINAL - GLASS WEDGE BASE -

Original spare part



### The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.

# Product datasheet

## Technical data

### Product information

|   |                |
|---|----------------|
| Order reference                             | 2741           |
| Application (Category and Product specific) | Auxiliary lamp |


### Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 1.6 W  |
| Nominal voltage       | 24.0 V |
| Nominal wattage       | 1.20 W |
| Power input tolerance | ±8 %   |
| Test voltage          | 28.0 V |

### Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 7.5 lm |
| Luminous flux tolerance | ±20 %  |

### Dimensions & weight



|                |         |
|----------------|---------|
| Length         | 20.0 mm |
| Diameter       | 5 mm    |
| Product weight | 0.40 g  |

### Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 400 h  |
| Lifespan Tc | 2000 h |

### Additional product data

|                             |         |
|-----------------------------|---------|
| Base (standard designation) | W2x4.6d |
|-----------------------------|---------|

## Product datasheet

### Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

### Certificates & standards

|              |   |
|--------------|---|
| ECE category | - |
|--------------|---|

### Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 2741 |
|-----------------|------|

### Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|---|------------------------------------|
| Date of Declaration   | 03-07-2024                         |
| Primary Article Identifier  | 4050300838519   4008321012876      |
| Candidate List Substance 1  | No declarable substances contained |
| Declaration No. in SCIP database                                      | In work                            |

### Country specific information

| Product code  | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300838519 | OSRA2741   | -       | -          | -      |
| 4050300524900 | OSRA2741   | -       | 4739904    | -      |
| 4050300838519 | OSRA2741   | -       | 4739904    | -      |

### Logistical Data

| Product code  | Product description        | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|----------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300838519 | ORIGINAL - WEDGE BASE 2741 | Unpacked<br>1                | - x - x -                            |                      |              |
| 4050300524900 | ORIGINAL - WEDGE BASE 2741 | Folding carton box<br>10     | - x - x -                            |                      |              |
| 4008321094889 | ORIGINAL - WEDGE BASE 2741 | Shipping carton box<br>50    | 148 mm x 115 mm x<br>55 mm           | 0.94 dm <sup>3</sup> | 105.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

Product datasheet

**Disclaimer**  
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



**OSRAM**