

ULTRA-VITALUX UV-A

Ultraviolet lamps




Product features and benefits

- UV lamp for technical applications
- Direct operation without control gear



March 12, 2025, 22:21:46 ULTRA-VITALUX UV-A



ULTRA VITALUX

Technical data

_

	General Product Information	Electrical Data		Photometric Data
Product description	Global order reference	Nominal wattage	Nominal voltage	Radiated power 280315 nm (UVB)
ULTRA VITALUX 300 W 230 V E27	ULTRA VITALUX 300 W 230 V E27	300 W	230 V	3.0 W
		Physical Attributes & Dimensions	Operating Conditions	Lifetime Data
Product description	Radiated power 315400 nm (UVA)	Lamp base	Burning position	Nominal lifetime
ULTRA VITALUX 300 W 230 V E27	13.6 W	E27	Any	1000 hr
	_	Art. 33 of EU Regulation		
- - - - - - - - - -	Primary article	Declaration no. in	Candidate list	CAS No. of substance
Product description	identifier	SCIP database	substance 1	1

Product description	Safe use instruction
ULTRA VITALUX 300 W 230 V E27	The identification of
	the Candidate List
	substance is
	sufficient to allow
	safe use of the
	article.

Safety advice

Due to their intense heat generation, the lamps may only be operated in suitable luminaires. The lamps must also be protected against moisture and splashing water. In case of improper use, UV radiation may lead to sunburn and conjunctivitis. Not approved for use on persons according to the new edition of EN 60335-2-27.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.