

# NIGHT BREAKER SILVER H11

Excellent performance-lifetime ratio



**Up to 100% more brightness**

More light allows to see farther and therefore react sooner compared to the minimum legal standard



**Up to 130 m long beam**

For better visibility



**Excellent performance-lifetime ratio**

For more light at a reasonable lifetime



**The OSRAM performance halogen light with best lifetime**

With NIGHT BREAKER SILVER, OSRAM offers a performance halogen automotive lamp with an optimized lifetime. OSRAM NIGHT BREAKER SILVER generates up to 100% more brightness compared to the minimum legal standard and a beam which is up to 130 meters long. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react. In addition to this, these automotive lamps have a convincing price-performance ratio and a modern design with an attractive silver cap (H4/H7/H11). The perfect choice for drivers who place high demands on performance and lifetime.

# Product datasheet

## Technical data

### Product information

Order reference	64211NBS
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	62 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1350 lm
Luminous flux tolerance	±10 %
Color temperature	3200 K

### Dimensions & weight



Diameter	12.0 mm
Product weight	22.20 g
Length	67.0 mm

### Lifespan

Lifespan B3	250 h
Lifespan Tc	450 h

### Additional product data

Base (standard designation)	PGJ19-2
-----------------------------	---------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H11
--------------	-----

### Country specific categorizations

Order reference	64211NBS
-----------------	----------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	03-07-2024
Primary Article Identifier	4052899992818   4052899992795   4052899579149   4052899992665   4052899992856   4062172387699
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work


### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899579149	NIGHT BREAKER SILVER H11	Unpacked 1	- x - x -		3900.00 g
4052899579156	NIGHT BREAKER SILVER H11	Shipping carton box 140	345 mm x 255 mm x 240 mm	21.11 dm <sup>3</sup>	4215.00 g
4052899992665	NIGHT BREAKER SILVER H11	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	28.00 g
4052899992672	NIGHT BREAKER SILVER H11	Bundle 10	185 mm x 66 mm x 71 mm	0.87 dm <sup>3</sup>	283.00 g
4052899992689	NIGHT BREAKER SILVER H11	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm <sup>3</sup>	3021.00 g
4052899992818	NIGHT BREAKER SILVER H11	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm <sup>3</sup>	136.00 g
4062172058841	NIGHT BREAKER SILVER H11	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	767.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

### Download Data

File	
	360 Degree Image NIGHT BREAKER SILVER H11

#### Legal advice

Light output compared to the minimum ECE 112 requirements.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM