


# BATTERYjumpstart 1000



**BOOST  
FUNCTION**

### Starts completely depleted batteries

New Boost function allows user to restart vehicles with depleted batteries



≤ 5L PETROL  
≤ 2L DIESEL

### Powerful Lithium Battery

Starts up to 5-liter petrol and 2-liter diesel vehicles



### PD30W Power Pack

Fast charges phones and other devices via the built in USB ports



### Powerful and safe jumpstarting for 12V vehicles with integrated USB charging and enhanced safety features

The OSRAM BATTERYjumpstart 1000 can jump-start vehicles with engines up to 5L Petrol or 2L Diesel. With 1000A starting power, it is suitable for most 12V cars, vans, SUVs, and LCVs. The boost function enables jump-starting of completely depleted batteries. The unique ergonomic smart clamp connection features longer cables for better accessibility in hard-to-reach areas. Safety features include reverse polarity protection, anti-spike protection, and short circuit protection, with audible and LED indicators. An integrated torch illuminates the work area, and LED indicators show the current battery level. The unit features PD30W fast charge technology for quicker recharging and powerful charging of mobile devices via the USB C and USB A ports.

## Product family datasheet

### Technical data

Product description	Product information			General Product Information
	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	Application (Category and Product specific)	Global order reference
BATTERYjumpstart 1000	5 l	2 l	Lithium Starter	OJS020


Product description	Electrical Data	Physical Attributes & Dimensions		
	Boost-Function (start batteries from 0V)	Length	Height	Width
BATTERYjumpstart 1000	Yes	254.0 mm	94.0 mm	42.0 mm

Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
BATTERYjumpstart 1000	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	e4820144-9105-4a0c-ac14-22284b8fcc6d

## Product family datasheet

---

### Download Data

File	
	Brochures BATTERYjumpstart 5001000 Lithium Starter

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.