OSRAM

ONYX COPILOT USB

Flexible LED reading light





Pleasantly warm and glare-free light



370 mm neck length powered via USB



This stylish reading light is suitable for all vehicles with USB connection



Precisely illuminating vehicle interiors

With its elegant and dynamic design, the ONYX COPILOT LED reading light achieves seamless integration into vehicle interiors. With its high flexibility, the reading light has a wide range of options for illuminating specific areas of the vehicle interior. The neck of the light is made of matt black silicon rubber and can be individually adjusted. The LED lifetime of ONYX COPILOT is extremely long: up to 20,000 hours! The Luminaire can be switched on/off and remain connected permanently. OSRAM provides a 2 year guarantee for this stylish light.

Product family datasheet

Technical data

	Product information	General Product Information		Photometric Data		Physical Attributes & Dimensions
Product description	Application (Category and Product specific)	Global order reference		Nominal luminous flux		Length
ONYX COPILOT	Flexible LED reading light	3				394.0 mm
	Colors & materials	Lifetime Data	Additional product data		Capabilities	
Product description	Base color	Guarantee	Connector to lamp Technol		ogy	
ONYX COPILOT	Black	2 years	USB		LED ¹⁾	
	Certificates & standards			Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		Art. 33 of EU
Product description	Type of protection	Standards		Primary artic	le	Candidate list substance 1
ONYX COPILOT	IP20	CE		4052899601	000	Lead

Product description	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
ONYX COPILOT	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	cfe381e9-de61-47be- 8ff4-79f99a462d05

 $^{^{1)}}$ Light-emitting diode application

Product family datasheet

Download Data

File



User instruction LED ONYX COPILOT USB



ref_pim_amsp_product360degreeimages ONYX Copilot USB

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.