


# LEDinspect HEADTORCH250


Inspectionlights




**Motion Sensor Activation**  
Easily control light during hands free use



**250 Lumen**  
Two light functions High: Up to 250 lm Low: Up to 140 lm



**60° Flex**  
Adjustable light angle to get the light to the desired position



**2-year-OSRAM guarantee\***  
Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

## Product family datasheet



### Light is versatile

This high-quality headtorch from OSRAM is perfect for professional and private use. With two light functions - high up to 250lm and low up to 140lm, there is a light output to suit a wide variety of tasks. The integrated motion sensor technology allows for hassle-free, hands-free working and the option for the 60° tilt angle provides flexibility to give light where needed. The rechargeable battery allows up to 3.5h of operation at high power or up to 6h at low power. A USB Type-C charging cable and the corresponding power adaptor are included in the scope of supply. In accordance with IP54 protection rating, this headtorch has protection against ingress of particles and against splashing water and is tested for impact resistance in accordance with IK08. The LEDinspect HEADTORCH 250 has soft pads inside and additionally an adjustable strap for optimal wearing comfort and is therefore ideal as a light for craft activities, car repairs and in everyday life. In addition, OSRAM grants a 2-year guarantee\*

## Product family datasheet

### Technical data

Product description	Product information		Electrical data		Photometrical data	
	Order reference	Application (Category and Product specific)	Nominal voltage	Nominal wattage	Light color LED	Luminous flux
INSPECTION LAMP	LEDIL404	LED inspection lights	3.7 V	5.55 W	White	250 lm

Product description	Color temperature	LED module information	Dimensions & weight			
		Number of LEDs per module	Height	Width	Length	Product weight
INSPECTION LAMP	5700 K	1	45.0 mm	42.0 mm	67.0 mm	105.00 g

Product description	Colors & materials	Lifespan	Additional product data	
	Base color	Guarantee	Number of included batteries	Scope of battery
INSPECTION LAMP	Black / Orange	2 years	1	Yes

Product description	Type of Battery	Capabilities	Certificates & standards	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Technology	IK Class	Date of Declaration
INSPECTION LAMP	Rechargeable	LED	IK08	08-03-2024


Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
INSPECTION LAMP	4062172354875	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration No. in SCIP database
INSPECTION LAMP	bdeca20c-87d7-47fc-a8d4-ed431387b196

## Product family datasheet

---

### Download Data

File	
	User instruction LEDinspect HEADTORCH 250

#### Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.