

# LEDinspect POCKET200

Inspectionlights




### Multi-Angle positioning

180° flex and 360° twist. Extra slim design



### 200 Lumen

3 light functions: Up to 200lm-high Up to 80lm-low Up to 40lm-torchlight



### 2-year OSRAM Guarantee

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



### Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With three light functions - high with up to 200lm, low with up to 80lm and torch function with up to 40lm - there is the right light output for the task at hand. The compact design combined with multi-angle positioning - 180° flex and 360° rotation- gives maximum flexibility and adjustability to give light exactly where needed. The integrated charge indicator shows the charging status of the rechargeable battery - up to 1,5 h operating time for high power or up to 3h for low power. This inspection light also contains magnets for hands-free work and easy attachment and is therefore ideal as a light for manual activities, car repairs and in everyday life. In addition, OSRAM grants a 2-year guarantee on this product\*

# Product datasheet

## Technical data

### Product information

Order reference	LEDIL408
Application (Category and Product specific)	LED inspection lights

### Electrical data

Nominal wattage	2.96 W
Nominal voltage	3.7 V


### Photometrical data

Color temperature	6500 K
Luminous flux	200 lm
Light color LED	White

### LED module information

Number of LEDs per module	2
---------------------------	---

### Dimensions & weight



Product weight	120.00 g
Length	233.0 mm
Width	29.0 mm
Height	42.0 mm

### Colors & materials

Base color	Black / Orange
------------	----------------

### Lifespan

Guarantee	2 years
-----------	---------

## Product datasheet

### Additional product data

Type of Battery	Rechargeable
Number of included batteries	1
Scope of battery	Yes
Battery	High-quality lithium-ion battery

### Capabilities

Technology	LED
------------	-----

### Certificates & standards

Standards	CE/EMC/MSDS/ROHS
IK Class	IK07

### Country specific categorizations

Order reference	LEDIL408
-----------------	----------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-03-2024
Primary Article Identifier	4052899623897
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	fd47c268-ee86-4581-a702-e67ef0854f7a



Detail



Detail



## Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899623897	INSPECTION LAMP	Folding carton box 1	49 mm x 47 mm x 155 mm	0.36 dm <sup>3</sup>	141.00 g
4052899624016	INSPECTION LAMP	Shipping carton box 6	167 mm x 159 mm x 116 mm	3.08 dm <sup>3</sup>	931.00 g
4062172217019	INSPECTION LAMP	Shipping carton box 48	354 mm x 338 mm x 263 mm	31.47 dm <sup>3</sup>	8053.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction LEDinspect POCKET 200
 Movie application LEDinspect Inspection Lights Trailer

#### Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM