Product family datasheet

OSRAM

LEDriving SL R5W

Ideal replacement for any vehicle



Suitable for various vehicle interior and exterior applications Available in Cool White



Replaces conventional R5W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for R5W

LEDriving SL R5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional R5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps.These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product information			General Product Information	Electrical Data	
Product description	Product type (off- road vs. on-road)	••	ation (Category oduct specific)	Global order reference	Power input	Nominal voltage
LEDriving SL ≙ R5W	Off-road		5007DWP	0.5 W	12.0 V	
				Photometric Data		Physical Attributes & Dimensions
Product description	Nominal wattage		Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
LEDriving SL \triangleq R5W	0 W		13.5 V	50 lm	±25 %	19.0 mm
	Lifetime Data		Capabilities	Environmental & Requ	5	
				Information according Regulation (EC) 1907/2	Art. 33 of EU	
Product description	Lifespan B3	Lifespan Tc	Technology	Information according	Art. 33 of EU	no. in

 $^{1)}$ Light-emitting diode lamp

Product family datasheet

Download Data

 File

 Brochures

 LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatible

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.