

LEDinspect FLEXIBLE HEAD TORCH



Flexible Head Band

Soft padding and additional adjustable strap for optimal wearing comfort




Up to 115 Lumen

Three light functions: Up to 115 lm (high, up to 50 lm (low) and a red flashing function at the rear



Approx. 1.5 hours charging time

With a charging time of only approx. 1.5 hours, this OSRAM lamp is quickly ready for use again



2-year OSRAM Guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Product family datasheet



Light is versatile

This high-quality flexible head torch from OSRAM is perfect for professional and private use. With three light functions - high up to 115lm, low up to 50lm and a red flashing function at the rear, this head torch offers different setting options for a variety of tasks. The illumination integrated directly into the individual adjustable headband enables a wide and even distribution of light and can provide better illumination of the working area. The rechargeable battery allows up to 4.5h of operation at high power or up to 5.5h at low power and with a charging time of only approx. 1.5 hours, this OSRAM lamp is also quickly ready for use again. An USB Micro B charging cable to recharge the lithium battery is included in the scope of supply. In accordance with IP 42 protection rating, this head torch has protection against ingress of dust particles and against splashing water. The LEDinspect Flexible Head Torch has soft pads inside and additionally an adjustable strap for optimal wearing comfort. With a weight of only 62g and the flexible, foldable design, the product is easy to store and transport, making it ideal as a light for craft work, car repairs and everyday use. OSRAM also provides a 2-year guarantee**For precise conditions please refer to: www.osram.com/am-guarantee

Product family datasheet

Technical data

Product description	Product information		Electrical data	Photometrical data		
	Order reference	Application (Category and Product specific)	Nominal voltage	Luminous flux	Color temperature	Light color LED
INSPECTION LAMP	LEDIL414	LED inspection lights	3.7 V	115 lm	6000 K	White

Product description	LED module information	Dimensions & weight				Colors & materials
	Number of LEDs per module	Height	Product weight	Width	Length	Base color
INSPECTION LAMP	1	25.0 mm	62.00 g	20 mm	245.0 mm	Black / Orange

Product description	Lifespan	Additional product data		Capabilities
	Guarantee	Type of Battery	Number of included batteries	Technology
INSPECTION LAMP	2 years	Rechargeable	1	LED

Product description	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1
INSPECTION LAMP	08-03-2024	4052899630994	Lead	7439-92-1

Product description	Safe Use Instruction	Declaration No. in SCIP database
INSPECTION LAMP	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3ee5100c-84cd-4784-ba6a-aabf9f12ebcb

Product family datasheet

Legal advice

Application advice: For more detailed application information and graphics please see product datasheet and the user instruction.

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.