# **OSRAM**

# Cube PX Spot Beam



### Spot beam patterns

For a particularly focused distance light distribution



#### 1500 to 4500 Lumens

Selection of 4 different power levels per beam pattern



### **Matrix Portfolio**

A vehicle-specific lighting set-up can be put together individually. Mix & match. Vary and combine



### IP & IK protection classes

Tested and validated in a DINcertified environmental simulation laboratory regarding extreme external influences such as water, dust, shocks, impacts, heat, cold, permanent vibrations and many more

## Product family datasheet





### Professional light for professional work

With the OSRAM LEDriving Professional Series PX working lights portfolio, it is now possible to find exactly the right lighting for a wide range of special professional tasks and applications. The 16 working lights in total score points with maximum optical efficiency, effectiveness, and homogeneous light distribution. The modular series focuses on the most important aspects of worklight use: Illumination, performance, quality, shape, durability, functionality, and thus can also result in increased safety at work for you and others. The optimal factors can be selected and prioritized for each corresponding application; thus, with these high-performance lights, a complete vehicle-specific lighting set-up can be put together, that this is perfectly applicable to the respective individual requirements and needs. The working lights are suitable for 12V and 24V vehicles and a total of four beam patterns - Flood, Spot, Wide and Ultra-Wide - and four power levels - 1500lm, 2500lm, 3500lm and 4500lm - are available for each light. In addition, they can be mounted in three different ways: Direct mounting, flexible standard mounting, and heavy-duty mounting. Additionally, OSRAM has developed specially designed mounting kits and a cable with DTconnector. Validated according to the highest IP & IK protection classes IP6K8 & IP6K9K and CISPR25 Class 5, the Professional Series is designed to meet the highest OE standards and requirements of the automotive industry. OSRAM provides a 5-year guarantee on these products1)2)1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 (7). However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.2) For precise conditions refer to: www.osram.com/am-quarantee

# Product family datasheet

## Technical data

Product information		ct Electrical Dat	ta
Application (Category and Product specific)	Global order reference	Nominal volt	age Nominal wattage
Working light application	LEDPWL 110	12/24 V	27 W
Working light application	LEDPWL 111	12/24 V	33 W
Working light application	LEDPWL 112	12/24 V	45 W
Working light application	LEDPWL 116	12/24 V	15 W
Photometric Data	Capabilities	Certificates & standar	ds
Nominal luminous flux	Technology	Type of protection	Standards
2500 lm	LED	IP6K8/IP6K9K	ECE R10 / CISPR25 / CLASS 5 / FCC part 15b
3500 lm	LED	IP6K8/IP6K9K	ECE R10 / CISPR25 / CLASS 5 / FCC part 15b
4500 lm	LED	IP6K8/IP6K9K	ECE R10 / CISPR25 / CLASS 5 / FCC part 15b
1500 lm	LED	IP6K8/IP6K9K	ECE R10 / CISPR25 / CLASS 5 / FCC part 15b
Logistical data	Regulatory Information Information according Art. EU Regulation	33 of (EC)	
Commodity code	Declaration no. in SCIP database		
85122000900	In work		
85122000900	In work		
85122000900	In work		
	Application (Category and Product specific)  Working light application  Working light application  Working light application  Working light application  Photometric Data  Nominal luminous flux  2500 lm  4500 lm  Logistical data  Commodity code  85122000900	Application (Category and Product specific)  Working light application  Photometric Data Capabilities  Nominal luminous flux  2500 lm LED  4500 lm LED  LED  LED  LED  LED  LED  LED  LED	Information   Application (Category and Product specific)   Global order reference   Nominal volt application   12/24 V

# Product family datasheet

### Download Data

	File
*	User instruction LEDriving PROFESSIONAL WORKING LIGHTS
	Movie application LEDriving D and W Image Video Bringing light to life (EN)
	Movie application LEDriving Driving and Working Lights Reference Video (EN)
D	Movie application OSRAM LEDdriving and working lights Imagefilm (EN)
	Movie application OSRAM Quality Testing LEDriving working and driving lights (EN)

### Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

### Legal advice

1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 (7). However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.2)For precise conditions refer to: www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.