


## HMI Single-End Lamps (other)

Metal halide lamps, single-ended



341840\_HMI 12000W SE



## Product family datasheet

### Technical data

Product description	Electrical data				Photometrical data		
	Nominal voltage	Nominal current	Lamp voltage	Nominal wattage	Nominal luminous flux	Color temperature	Color rendering index Ra
HMI 2500 W/SE XS	115 V	256 A	115 V	2500.00 W	220000 lm	6000 K	90
HMI 4000 W/SE XS	200 V	24 A	200 V	4000.00 W	380000 lm	6000 K	90
HMI 12000 W/SE XS	160 V	8400 A	160 V	12000.00 W	1150000 lm	6000 K	90

Product description	Dimensions & weight			Lifespan	Additional product data	Capabilities
	Diameter	Length	Light center length (LCL)	Lifespan	Base (standard designation)	Burning position
HMI 2500 W/SE XS	60.0 mm	225.0 mm	127.0 mm	500 h	G38	Any
HMI 4000 W/SE XS	75.0 mm	250.0 mm	142.0 mm	500 h	GX38	Any
HMI 12000 W/SE XS	100.0 mm	455.0 mm	255.0 mm	500 h	GX38	Other

Product description	Environmental information			
	Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
HMI 2500 W/SE XS	05-03-2024	4050300284293   4050300932149   4008321281173   4062172350099	No declarable substances contained	In work
HMI 4000 W/SE XS	05-03-2024	4050300932156   4008321244314   4062172017039   4062172350235	No declarable substances contained	In work
HMI 12000 W/SE XS	05-03-2024	4050300650418   4008321128157	Lead	f7e3f861-5da1-4d96-b2d1-f709c6ebfe08

Product description	CAS No. of substance 1	Safe Use Instruction
HMI 2500 W/SE XS		
HMI 4000 W/SE XS		
HMI 12000 W/SE XS	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

## Product family datasheet

---

### Application advice

For more detailed application information and graphics please see product datasheet.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.