## **OSRAM**

# **LEDriving HLM EASY T19**



Cool White color temperature of 6,000 K

Better visibility thanks to daylight effect



**Superior brightness** 

Allowing a high compatibility and an easy installation.



LED replacement for conventional T19 high and low beam lamps

Reduced glaring thanks to an optimal light distribution



LED high and low beams lamps with plug & play system for motorcycles.

The OSRAM LEDriving HLM EASY represent an easy solution to upgrade conventional motorcycle headlights with cool white LED light – with a color temperature of 6,000 K, they provide a stylish and modern look as well as superior brightness. Equipped with the latest LED technology and a very compact design, these lamps allow high compatibility and an easy installation for a wide range of motorcycle models. The LEDriving HLM EASY lamps are 12V and AC/DC compatible and offer a long service life. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

## Product family datasheet

## Technical data

	Product in	formation	General Pr Informatio			Electrical	Data		
Product description		Application (Category and Product specific)		Global order reference		Power input			
LEDriving HLM EASY T19	headlight	Mainly used for headlight applications		7335DWESY		6.0 W / 5.5 W	13.5 V		
				Photometric Data			Physical Attributes & Dimensions		
Product description	Nominal w	Nominal wattage		Nominal luminous flux		Diamete	r	Lifespan B3	
LEDriving HLM EASY T19	5 W	5 W		600/500 lm		18.4 mm		500 hr	
		Capabilities	Information	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Product description	Lifespan Tc	Technology	Primary a identifier	Primary article identifier		Declaration no. in SCIP database			
LEDriving HLM EASY T19	1000 hr	LED	40621723 40621723		In work				

## Product family datasheet

### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.